

SPSS codebook for PreRecorded vs Live assessments in BSL

Recommended citation: Rogers, K. Pre-recorded vs live assessments in BSL – Dataset. University of Manchester.
doi: 10.48420/25780404

VARIABLE NAME	LABE	VALUES
PUBLICCodeID	Public Participant Code ID	
Age	Age in years	
GenderID	Gender Identity	1=Female; 2=Male; 3=Non-binary; 4=Transman; 5=Transwoman; 6=Other; 7=Prefer not to say
Ethnicity	Ethnicity	1=Asian / Asian British Bangladeshi; 2=Asian / Asian British Chinese; 3=Asian / Asian British Indian; 4=Asian / Asian British Pakistani; 5=Asian / Asian British Any other; 6=Black / African / Caribbean / Black British African; 7=Black / African / Caribbean / Black British Caribbean; 8=Black / African / Caribbean / Black British Any other; 9=Mixed / Multiple ethnic groups: Asian and White; 10=Mixed / Multiple ethnic groups: Black Caribbean and White; 11=Mixed / Multiple ethnic groups: Black African and White; 12=Mixed / Multiple ethnic groups: Any other; 13=White: English / Welsh / Scottish / Northern Irish / British; 14=White: Gypsy or Irish Traveller; 15=White: Irish; 16=White: Any other; 17=Any other ethnic group: Arab; 18=Any other ethnic group: Any other; 19=Prefer not to say
Sexuality	Sexuality	1= Asexual; 2=Bi/bisexual; 3=Gay man; 4=Gay woman/lesbian; 5=Queer; 6=Straight/heterosexual; 7=Pansexual; 8=Prefer to self-describe; 9=Prefer not to say
parentsDeaf	ParentsDeaf	1=Yes; 2=No
ParentsBSL	Parents BSL	1=Yes; 2=No
FamilyOtherDeaf	Other family deaf	1=Yes; 2=No
FamilySIBLINGdeaf	deaf sibling(s)	1=Yes; 2=No
FamilyGRANDPARENTSdeaf	deaf grandparent(s)	1=Yes; 2=No
FamilyOtherYESDeaf	OtherFamilyDEAF who else	
ConsiderDisabled	coinsider disabled	1=Yes; 2=No; 3=Prefer not to say

disabilities	disabilities	1=Don't have a disability, long-term condition or impairment; 2=Yes but prefer not to specify which; 3=Dyslexia, dyscalculia or dyspraxia; 4=Neurodiverse; 5=Hearing, speech or visual; 6=Long-term health condition (such as diabetes, Multiple Sclerosis, heart condition, epilepsy, energy-limiting conditions, chronic pain); 7=Mental health condition; 8=Mobility or musculoskeletal (including back, neck and shoulder); 9=Other not listed above; 10=Prefer not to say
OtherDisabilities	Other disabilities	1=Don't have a disability, long-term condition or impairment; 2=Yes but prefer not to specify which; 3=Dyslexia, dyscalculia or dyspraxia; 4=Neurodiverse; 5=Hearing, speech or visual; 6=Long-term health condition (such as diabetes, Multiple Sclerosis, heart condition, epilepsy, energy-limiting conditions, chronic pain); 7=Mental health condition; 8=Mobility or musculoskeletal (including back, neck and shoulder); 9=Other not listed above; 10=Prefer not to say
CommQ8a	Preferred comm	1=BSL; 2=SSE; 3=Sppech/lip-reading
CommQ8bDeafBSL	Usually comm Deaf people BSL	1=BSL
CommQ8bDeafSSE	Usually comm Deaf SSE	1=SSE
CommQ8bDeafSpeechLP	Usually comm Deaf speech lipreading	1=Speech/lip-reading
CommQ8cHearingBSL	Usually comm hearing people BSL	1=BSL
CommQ8cHearingSSE	Usually comm hearing people SSE	1=SSE
CommQ8cHearingSpeechLP	Usually comm hearing people Speech	1=Speech/lip-reading
CommQ8dAGEbsl	Age BSL	1=From birth; 2=1-3 yrs old; 3=4-7 yrs old; 4=8-11 yrs old; 5=12-16 yrs old; 6=17-24 yrs old; 7=25+ yrs old; 8=I do not use BSL
CommQ8eBSL	how well sign BSL	1=Not at all; 2 = A little; 3=Average; 4=Very good; 5=Excellent/Like a Native

RelationshipQ9a	Comfortable with deaf I dont know	1 = Strongly Disagree; 2 = Disagree; 3 = Somewhat agree; 4 = Agree; 5 = Strongly Agree
RelationshipQ9b	COMfortable with hearing I dont know	1 = Strongly Disagree; 2 = Disagree; 3 = Somewhat agree; 4 = Agree; 5 = Strongly Agree
RelationshipQ9c	Involved in the Deaf community	1 = Strongly Disagree; 2 = Disagree; 3 = Somewhat agree; 4 = Agree; 5 = Strongly Agree
RelationshipQ9d	Feel part of the Deaf community	1 = Strongly Disagree; 2 = Disagree; 3 = Somewhat agree; 4 = Agree; 5 = Strongly Agree
RelationshipQ9e	Feel part of hearing community	1 = Strongly Disagree; 2 = Disagree; 3 = Somewhat agree; 4 = Agree; 5 = Strongly Agree
RelationshipQ9f	Culturally Deaf	1 = Strongly Disagree; 2 = Disagree; 3 = Somewhat agree; 4 = Agree; 5 = Strongly Agree
Employment	In employment	1=No; 2=Yes
WhatEmployment	If in employment, job?	
EmploymentFTorPT	part time or full time	1=Part time; 2=Full time
HighestQualification	highest qualification	
HealthQ11a	Currently exp mh difficulties	1=No; 2=Yes; 3=I don't know
HealthQ11aai	If yes, what MH difficulties	
HealthQ11aaii	Support for MH difficulties	1=I have no support; 2=I have professional support
HealthQ11b	MWB statement	1=I am usually mentally well; 2=I have long-standing mental health difficulties
HealthQ11c	Physical health statement	1=I am usually physically well; 2=I have a long standing physical illness; 3=I have a disability (do not include being deaf)
HealthQ11dILLNESSstopACTIVIT	Illness stop activities	1=My illness stops me from getting involved in activities
HealthQ11dILLNESSstopFRIENDS	Illness stop seeing friends	1=My illness stops me from seeing my friends
HealthQ11dDISABstopACTIVITIE	Disability stop activities	1=My disability stops me from getting involved in activities
HealthQ11dDISABstopFRIENDS	Disability stop seeing friends	1=My disability stops me from seeing my friends
RandomisedCondition	Randomised Condition A or B	1=A=Live THEN pre-recorded; 2=B=Pre-recorded THEN Live
EQ5DLIVEMobility	EQ5D Live Mobility	1=No problems; 2=Slight problems; 3=Moderate problems; 4=Severe problems; 5=Unable to walk about

EQ5DLIVESelfCare	EQ5D Live SelfCare	1=No problems; 2=Slight problems; 3=Moderate problems; 4=Severe problems; 5=Unable to wash or dress myself
EQ5DLIVEUsualActivities	EQ5D Live Usual Activities	1=No problems; 2=Slight problems; 3=Moderate problems; 4=Severe problems; 5=Unable to do my usual activities
EQ5DLIVEPainDiscomfort	EQ5D Live Pain Discomfort	1=No pain or discomfort; 2=Slight; 3=Moderate; 4=Severe; 5=Extreme pain or discomfort
EQ5DLIVEAnxietyDepression	EQ5D Live Anxiety Depression	1=Not anxious or depressed; 2=Slight; 3=Moderate; 4=Severe; 5=Extremely anxious or depressed
EQ5DLIVE_STATEprofile	EQ5D Live Health State Profile	
EQ5DLIVE_index		
EQ5DVASLIVE	EQ5D VAS LIVE	
EQ5DPreRecordedMobility	EQ5DPre-recorded Mobility	1=No problems; 2=Slight problems; 3=Moderate problems; 4=Severe problems; 5=Unable to walk about
EQ5DPreRecordedSelfCare	EQ5D Pre-recorded SelfCare	1=No problems; 2=Slight problems; 3=Moderate problems; 4=Severe problems; 5=Unable to wash or dress myself
EQ5DPreRecordedUsualAct	EQ5D Pre-recorded Usual Activities	1=No problems; 2=Slight problems; 3=Moderate problems; 4=Severe problems; 5=Unable to do my usual activities
EQ5DPreRecordedPainDiscomf	EQ5D Pre-recorded Pain Discomfort	1=No pain or discomfort; 2=Slight; 3=Moderate; 4=Severe; 5=Extreme pain or discomfort
EQ5DPreRecordedAnxietyDepre	EQ5D Pre-recorded Anxiety Depression	1=Not anxious or depressed; 2=Slight; 3=Moderate; 4=Severe; 5=Extremely anxious or depressed
EQ5DPreRecorded_STATEprofile	EQ5D Pre-Rec Health State profile	
EQ5DPreRecorded_Index		
EQ5DVASPreRecorded	EQ5D VAS Pre-recorded	

CORE10Q1_LIVE	CORE10Q1_LIVE	0=Not at all; 1=Only occasionally; 3=Sometimes; 4=Often; 5=Most or all of the time
CORE10Q2_LIVE	CORE10Q2_LIVE	0=Most or all the time; 1=Often; 2=Sometimes; 4=Only occasionally; 5=Not at all
CORE10Q3_LIVE	CORE10Q3_LIVE	0=Most or all the time; 1=Often; 2=Sometimes; 4=Only occasionally; 5=Not at all
CORE10Q4_LIVE	CORE10Q4_LIVE	0=Not at all; 1=Only occasionally; 3=Sometimes; 4=Often; 5=Most or all of the time
CORE10Q5_LIVE	CORE10Q5_LIVE	0=Not at all; 1=Only occasionally; 3=Sometimes; 4=Often; 5=Most or all of the time
CORE10Q6_LIVE	CORE10Q6_LIVE	0=Not at all; 1=Only occasionally; 3=Sometimes; 4=Often; 5=Most or all of the time
CORE10Q7_LIVE	CORE10Q7_LIVE	0=Not at all; 1=Only occasionally; 3=Sometimes; 4=Often; 5=Most or all of the time
CORE10Q8_LIVE	CORE10Q8_LIVE	0=Not at all; 1=Only occasionally; 3=Sometimes; 4=Often; 5=Most or all of the time
CORE10Q9_LIVE	CORE10Q9_LIVE	0=Not at all; 1=Only occasionally; 3=Sometimes; 4=Often; 5=Most or all of the time
CORE10Q10_LIVE	CORE10Q10_LIVE	0=Not at all; 1=Only occasionally; 3=Sometimes; 4=Often; 5=Most or all of the time
CORE10TOTALLIVE	CORE 10 Total LIVE	
CORE6Da_LIVE	CORE6Da_LIVE	0=Not at all; 1=Only occasionally; 3=Sometimes; 4=Often; 5=Most or all of the time
CORE6Db_LIVE	CORE6Db_LIVE	0=Not at all; 1=Only occasionally; 3=Sometimes; 4=Often; 5=Most or all of the time

CORE6Dc_LIVE	CORE6Dc_LIVE	0=Most or all the time; 1=Often; 2=Sometimes; 4=Only occasionally; 5=Not at all
CORE6Dd_LIVE	CORE6Dd_LIVE	0=Not at all; 1=Only occasionally; 3=Sometimes; 4=Often; 5=Most or all of the time
CORE6DTOTALLIVE	CORE 6D TOTAL LIVE	
CORE10Q1_PR	CORE10Q1_Pre-Recorded	0=Not at all; 1=Only occasionally; 3=Sometimes; 4=Often; 5=Most or all of the time
CORE10Q2_PR	CORE10Q2_Pre-Recorded	0=Most or all the time; 1=Often; 2=Sometimes; 4=Only occasionally; 5=Not at all
CORE10Q3_PR	CORE10Q3_Pre-Recorded	0=Most or all the time; 1=Often; 2=Sometimes; 4=Only occasionally; 5=Not at all
CORE10Q4_PR	CORE10Q4_Pre-Recorded	0=Not at all; 1=Only occasionally; 3=Sometimes; 4=Often; 5=Most or all of the time
CORE10Q5_PR	CORE10Q5_Pre-Recorded	0=Not at all; 1=Only occasionally; 3=Sometimes; 4=Often; 5=Most or all of the time
CORE10Q6_PR	CORE10Q6_Pre-Recorded	0=Not at all; 1=Only occasionally; 3=Sometimes; 4=Often; 5=Most or all of the time
CORE10Q7_PR	CORE10Q7_Pre-Recorded	0=Not at all; 1=Only occasionally; 3=Sometimes; 4=Often; 5=Most or all of the time
CORE10Q8_PR	CORE10Q8_Pre-Recorded	0=Not at all; 1=Only occasionally; 3=Sometimes; 4=Often; 5=Most or all of the time
CORE10Q9_PR	CORE10Q9_Pre-Recorded	0=Not at all; 1=Only occasionally; 3=Sometimes; 4=Often; 5=Most or all of the time
CORE10Q10_PR	CORE10Q10_Pre-Recorded	0=Not at all; 1=Only occasionally; 3=Sometimes; 4=Often; 5=Most or all of the time
CORE10TOTAL_PR	CORE 10 TOTAL Pre-Recorded	

CORE6Da_PR	CORE6Da_Pre-Recorded	0=Not at all; 1=Only occasionally; 3=Sometimes; 4=Often; 5=Most or all of the time
CORE6Db_PR	CORE6Db_Pre-Recorded	0=Not at all; 1=Only occasionally; 3=Sometimes; 4=Often; 5=Most or all of the time
CORE6Dc_PR	CORE6Dc_Pre-Recorded	0=Most or all the time; 1=Often; 2=Sometimes; 4=Only occasionally; 5=Not at all
CORE6Dd_PR	CORE6Dd_Pre-Recorded	0=Not at all; 1=Only occasionally; 3=Sometimes; 4=Often; 5=Most or all of the time
CORE6DTOTAL_PR	CORE 6D TOTAL Pre-Recorded	
Time1EQ5D	EQ-5D-5L index score at Time 1	
Time2EQ5D	EQ-5D-5L index score at Time 2	
DifferenceEQ5D	Difference in EQ-5D index score Time 1 and 2	
Time1CORE10	CORE10 score at Time 1	
Time2CORE10	CORE10 score at Time 2	
DifferenceCORE10	Difference in CORE-10 score Time 1 and 2	
Time1EQVAS	EQ-VAS score at Time 1	
Time2EQVAS	EQ-VAS score at Time 2	
DifferenceEQVAS	Difference in EQ-VAS score Time 1 and 2	
cof01_live	CORE6Da_LIVE	0=Not at all; 1=Only occasionally; 3=Sometimes; 4=Often; 5=Most or all of the time
cos08_live	CORE6Db_LIVE	0=Not at all; 1=Only occasionally; 3=Sometimes; 4=Often; 5=Most or all of the time
cos15_live	CORE6Db_LIVE	0=Not at all; 1=Only occasionally; 3=Sometimes; 4=Often; 5=Most or all of the time
cor16_live	CORE10Q6_LIVE	0=Not at all; 1=Only occasionally; 3=Sometimes; 4=Often; 5=Most or all of the time
cof21_live	CORE6Dc_LIVE	0=Most or all the time; 1=Often; 2=Sometimes; 4=Only occasionally; 5=Not at all

		0=Not at all; 1=Only occasionally; 3=Sometimes; 4=Often; 5=Most or all of the time
cof33_live	CORE6Dd_LIVE	
CORE6D_liveTOTAL	CORE 6D TOTAL LIVE	
co6D01_live		
co6D08_live		
co6D15_live		
co6D16_live		
co6D21_live		
co6D33_live		
CORE6Dsc_live		
CORE6Dut_live	CORE-6D preference-based utility LIVE	
		0=Not at all; 1=Only occasionally; 3=Sometimes; 4=Often; 5=Most or all of the time
cof01_PR	CORE6Da_Pre-Recorded	
		0=Not at all; 1=Only occasionally; 3=Sometimes; 4=Often; 5=Most or all of the time
cos08_PR	CORE6Db_Pre-Recorded	
		0=Not at all; 1=Only occasionally; 3=Sometimes; 4=Often; 5=Most or all of the time
cos15_PR	CORE10Q5_Pre-Recorded	
		0=Not at all; 1=Only occasionally; 3=Sometimes; 4=Often; 5=Most or all of the time
cor16_PR	CORE10Q6_Pre-Recorded	
		0=Most or all the time; 1=Often; 2=Sometimes; 4=Only occasionally; 5=Not at all
cof21_PR	CORE6Dc_Pre-Recorded	
		0=Not at all; 1=Only occasionally; 3=Sometimes; 4=Often; 5=Most or all of the time
cof33_PR	CORE6Dd_Pre-Recorded	
CORE6D_PR_TOTAL	CORE 6D TOTAL Pre-Recorded	
co6D01_PR		
co6D08_PR		
co6D15_PR		
co6D16_PR		
co6D21_PR		
co6D33_PR		
CORE6Dsc_PR		
CORE6Dut_PR	CORE-6D preference-based utility Pre-Recorded	